



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/052,030	01/15/2002	Cezary Marcjan	1026-051/MMM	1245

27195 7590 01/04/2008  
AMIN. TUROCY & CALVIN, LLP  
24TH FLOOR, NATIONAL CITY CENTER  
1900 EAST NINTH STREET  
CLEVELAND, OH 44114

EXAMINER	
DANIEL JR, WILLIE J	

ART UNIT	PAPER NUMBER
2617	

NOTIFICATION DATE	DELIVERY MODE
01/04/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket1@thepatentattorneys.com  
hholmes@thepatentattorneys.com  
osteuball@thepatentattorneys.com

# Office Action Summary

Application No.

10/052,030

Applicant(s)

MARCJAN ET AL.

Examiner

Willie J. Daniel, Jr.

Art Unit

2617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 18 December 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-50 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1 and 3-50 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### DETAILED ACTION

1. This action is in response to applicant's amendment filed on 18 December 2007. **Claims 1 and 3-50** are now pending in the present application and **claim 2** is canceled. This office action is made **Non-Final**.

### *Continued Examination Under 37 CFR 1.114*

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 18 December 2007 has been entered.

### *Specification*

3. The disclosure is objected to because of the following informalities:
  - a. The specification recites the language "...other **then** the security..." on pg. 9, paragraph [0031, line 10]. The Examiner interprets as -- other **than** the security-- and suggests replacing said language to help clarify the specification.

Appropriate correction is required.

*Drawings*

4. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the feature(s)

- a. Claim 1 recites the language "...the active message gateway exchanges short text messages between one or more active messaging clients in a private mode without being directly connected to a short message service center..." in line(s) 17-19 of the claim. Also, see Fig. 2.

must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required

Art Unit: 2617

corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

***Claim Rejections - 35 USC § 112***

5. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

**Claim 1** is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

a. **Claim 1** recites the limitation "...the active message gateway...active messaging clients in a **private mode** without being...connected..." in line(s) 17-19 of the claim.

Are both the gateway and clients in a private mode?

Regarding **claim 1**, the claim(s) include(s) a limitation that is not supported by the instant application (or specification) as originally filed. The applicant failed to provide support (i.e., page(s), line(s), and drawing(s)) for the newly amended claim limitation. The applicant is advised to review the subject matter of the specification (see pg. 9, [0030]), which clearly states **alternatively a short message service center can be configured in a private mode**. What constitutes and establishes a private mode? Applicant is advised to clearly and concisely provide claim language that is consistent and correlates to the

Art Unit: 2617

specification and mindful not to improperly utilized language that is clearly not supported.

The Examiner respectfully requests the applicant to provide page(s), line(s), and figure(s) of the instant application that supports the limitation of the claim(s) and/or any supportive comment(s) to help clarify and resolve this issue(s).

6. Due to the 112 rejection of the current claim language, the Examiner has given a reasonable interpretation of said language and the claims are rejected as broadest and best interpreted. In addition, applicant is welcomed to point out where in the specification the Examiner can find support for this language if Applicant believes otherwise.
7. This list of examples is not intended to be exhaustive. The Examiner respectfully requests the applicant to review all claims and clarify the issues as listed above as well as any other issue(s) that are not listed.

***Claim Rejections - 35 USC § 102***

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

**Claims 10-14, 16-17, 22, 24-26, and 28-29** are rejected under 35 U.S.C. 102(e) as being anticipated by **Alanara et al.** (hereinafter Alanara) (**US 6,292,668 B1**).

Regarding **claim 10**, Alanara discloses a computer readable medium (14) of a digital cellular telephone (1), the computer readable medium includes an active messaging client

software for active messages transmitted via a short text messaging service (see col. 21, lines 9-27), comprising:

active messaging loader software that distinguishes and directs short text messages according to whether they include an active message script (see col. 6, lines 29-60; col. 14, lines 13-38), where the active messaging loader would be inherent as evidenced by the fact that one of ordinary skill in the art would clearly recognize;

script interpreter which reads on the claimed "active message interpreter software" to which the active messaging loader directs short text messages that include an active message script, the active message interpreter providing interpretation and execution of the active message script (see col. 10, line 26 - col. 11, line 12; col. 13, lines 4-9; col. 14, lines 13-25; col. 21, lines 9-27; Figs. 1, 3, and 8-11), where the system provides an application for creating scripts for the menu application in which the scripts are interpreted to execute the command sequences of the script,

the active message script, transmitted from an active message gateway installs applications onto the digital cellular telephone (1) (see col. 10, lines 33-38, 60-62), where additional applications and services can be provided over the air,

wherein the installed applications are executed from a phone menu at least one of in part or completely on the digital cellular telephone (1) (see col. 10, lines 1-4, 12-16, 19-21, 26-33; col. 10, line 42 - col. 11, line 12; Figs. 7 and 10-11), where the user can select applications such as travel, service, and/or phone application that accessible and executed via a menu; and

active message script composition software (e.g., application menus) that generates at least one of an active message or an application based in part on the active message script

(see col. 10, lines 26-32; col. 13, lines 4-9; col. 14, lines 13-25; col. 21, lines 9-27; Figs. 1, 3, 8-11), where the system provides an application for generating messages and creating scripts for the menu application in which the scripts are interpreted to execute the command sequences of the script.

Regarding **claim 11**, Alanara discloses the medium of claim 10 in which each short text message includes a header and the short text messages that have an active message script include an indication of the active message script in the header (see col. 3, lines 23-26, 35-39; col. 6, lines 29-60; col. 19, line 46 - col. 20, line 25; Figs. 4A-5).

Regarding **claim 12**, Alanara discloses the medium of claim 10 further including active message file manager software to which the active messaging loader directs short text messages that include an active message script, the active message file manager providing storage of the active message script in a file system included on the computer readable medium (14) (see col. 3, lines 23-26; col. 6, lines 29-53; col. 7, lines 53-56; col. 10, lines 26-35; col. 11, line 64 - col. 12, line 9; col. 14, lines 13-25; Figs. 3, 8, and 9), where the application (17, 18) includes scripts of command sequences according to the menu operation in which the active message file manager would be inherent for storing in the memory (14) as evidenced by the fact that one of ordinary skill in the art would clearly recognize.

Regarding **claim 13**, Alanara discloses the medium of claim 10 in which the digital cellular telephone (1) includes a subscribed identity module (SIM card) with a computer readable medium (14) and in which the active messaging loader software and the active message interpreter software are stored on the computer readable medium of the subscriber identity module (see col. 6, lines 29-60; col. 14, lines 13-38; col. 21, lines 9-27; Fig. 9),

where the active messaging loader would be inherent as evidenced by the fact that one of ordinary skill in the art would clearly recognize.

Regarding **claim 14**, Alanara discloses the medium of claim 10 in which active message interpreter includes a global string buffer (GB) that is used for building character strings and a last result buffer (LRB) that is used for storing a most recent result (see col. 10, lines 1-10,19-25,31-35; col. 11 line 64 - col. 12, line 20; col. 14, lines 13-25,41-55; Figs. 9-11), where the application of the system can create menus for requesting information to be received and/or stored in the memory in which the GB and LRB are inherent as evidenced by the fact that one of ordinary skill in the art would clearly recognize.

Regarding **claim 16**, Alanara discloses the medium of claim 10 in which active message script are a format:

<Instruction><Flags>[<Data>][<Address>] wherein <Instruction> specifies a command to be executed, <Flags> specifies one or more options for the command, <Data> specifies any data associated with the command, and <Address> is a byte-address of an instruction to be executed under predefined conditions related to the command (see col. 6, lines 12-41; col. 9, lines 47-55; col. 12, lines 10-21; col. 13, lines 11-39; Figs. 5, 7, and 10-11).

Regarding **claim 17**, Alanara discloses in a computer readable medium (14) of a digital cellular telephone (1), the computer readable medium includes an active message script data structure for active messages transmitted from an active messaging gateway to install applications onto the digital cellular telephone via a short text messaging service, wherein the installed applications are executed from a phone menu at least one of in part or completely on the digital cellular telephone (1) (see col. 10, lines 1-4, 12-16, 19-21, 26-33;

col. 10, line 42 - col. 11, line 12; Figs. 7 and 10-11), where the user can select applications such as travel, service, and/or phone application that accessible and executed via a menu and additional applications and services can be provided over the air (see col. 10, lines 33-38,60-62; Figs. 1 and 7-11), comprising:

<Instruction><Flags>[<Data>][<Address>] wherein <Instruction> field specifies a command to be executed, <Flags> field is one byte in and specifies one or more options for the command, <Data> field is one byte in and specifies any data associated with the command, and <Address> field is two byte in and is a byte-address of an instruction to be executed under predefined conditions related to the command (see col. 6, lines 12-41; col. 9, lines 47-55; col. 12, lines 10-21; col. 13, lines 11-39; Figs. 4b, 5, 7, and 10-11), where the system provides the short text messages with scripts that relate to particular applications (e.g., menu application) in which the command sequences are executed. The field size can be up to several bytes in size.

Regarding **claim 22**, Alanara discloses the medium of claim 17 further including a send message instruction associated with the instruction field for transmitting a short text message, destination flags associated with the flag field optionally specifying a destination for the short text message, and a text string associated with the data field and optionally specifying a destination for the short text message (see col. 4, lines 43-52; col. 11, line 64 - col. 12, line 20; col. 12, lines 62-64; col. 16, lines 1-12; Figs. 1, 7, and 10-11).

Regarding **claim 24**, Alanara discloses the medium of claim 17 further including a location instruction associated with the instruction field for obtaining location information about a location of the digital cellular telephone (1), and a destination flag associated with the

flag field optionally specifying where the location information is to be stored (see col. 9, lines 43-67).

Regarding **claim 25**, Alanara discloses the medium of claim 17 further including an execute instruction associated with the instruction field for initiating execution of an active message file stored on the digital cellular telephone (1), a file identification flag associated with the flag field optionally identifying the active message file to be executed, and a text string associated with the data field and optionally identifying the active message file to be executed (see col. 14, lines 47-65; Figs. 5 and 10), where the terminal is able to playback stored files.

Regarding **claim 26**, Alanara discloses the medium of claim 17 further including an execute instruction associated with the instruction field for initiating execution of an active message file stored on the digital cellular telephone (1), a file identification flag associated with the flag field optionally identifying the active message file to be executed (see col. 14, lines 47-65; Figs. 5 and 10), where the terminal is able to playback stored files.

Regarding **claim 28**, Alanara discloses the medium of claim 17 further including an addressbook instruction associated with the instruction field for directing retrieval of information from an addressbook stored on the digital cellular telephone, and an addressbook entry flag associated with the flag field for specifying one or more addressbook entries to be retrieved (see col. 7, lines 7-15,34-39; Fig. 6).

Regarding **claim 29**, Alanara discloses the medium of claim 17 further including an application instruction associated with the instruction field for identifying an application to be utilized by another service (see col. 10, line 44 - col. 11, line 12; col. 14, lines 13-38; Figs.

Art Unit: 2617

7 and 10-11), where the application can create multiple menu application to be used by internally stored information or external servers for providing information. The “Business card” application can be used by the “Short dial” application (see col. 7, lines 34-42) and downloaded “Ringing tones” can be played back by an internal playback program which would be inherent as evidenced by the fact that one of ordinary skill in the art would clearly recognize.

***Claim Rejections - 35 USC § 103***

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**Claims 1, 3-9, 30-33, 35-39, 41-46, and 49-50** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Alanara et al.** (hereinafter Alanara) (**US 6,292,668 B1**) in view of **Zhang et al.** (hereinafter Zhang) (**US 7,082,312 B2**).

Regarding **claim 1**, Alanara discloses an active messaging system in communication with a short text messaging service of a digital mobile communications systems which reads on the claimed “digital cellular telephone system” (see col. 4, lines 26-42; col. 6, lines 29-38; Figs. 1-2 and 8), comprising:

an application (17, 18) which reads on the claimed “active messaging client” stored in a memory (14) which reads on the claimed “computer readable medium” of a terminal (1) which reads on the claimed “digital cellular telephone” (see col. 10, lines 26-32; col. 13, lines

4-9; col. 14, lines 13-25; col. 21, lines 9-27; Figs. 1, 3, and 8-11), where the system provides an application for creating scripts for the menu application in which the scripts are interpreted to execute the command sequences of the script,

the active messaging client includes an active messaging loader that distinguishes and directs short text messages according to whether they include an active message script (see col. 6, lines 29-60; col. 14, lines 13-38; Figs. 7 and 10-11), where the active messaging loader would be inherent for the system to respond to a message inquiry as evidenced by the fact that one of ordinary skill in the art would clearly recognize,

the active messaging client providing interpretation and execution of an active message script included in a short text message received at the digital cellular telephone (1) by radiant transmission (see col. 10, lines 26-32; col. 13, lines 4-9; col. 14, lines 13-25; col. 21, lines 9-27; Figs. 1, 3, 8-11), where the system provides an application for creating scripts for the menu application in which the scripts are interpreted to execute the command sequences of the script,

the active messaging client employs an active message script composition software (e.g., application menus) to create at least one of an active message or an application based in part on the active message script (see col. 10, lines 26-32; col. 13, lines 4-9; col. 14, lines 13-25; col. 21, lines 9-27; Figs. 1, 3, 8-11), where the system provides an application for generating messages and creating scripts for the menu application in which the scripts are interpreted to execute the command sequences of the script; and

a server gateway (SERV GTW) which reads on the claimed "active message gateway" in communication with the short text messaging service to receive short text messages from the

digital cellular telephone (1) (see col. 14, lines 26-38; Figs. 1-3 and 8), where the system can forward messages according to the application for special services,

the active message gateway (SERV GTW) creates active messages containing active message scripts for applications that are transmitted to and installed on the digital cellular telephone (1) (see col. 10, lines 33-38,60-62), where additional applications and services can be provided over the air,

wherein the applications are executed from a phone menu at least one of in part or completely on the digital cellular telephone (1) (see col. 10, lines 1-4, 12-16, 19-21, 26-33; col. 10, line 42 - col. 11, line 12; Figs. 7 and 10-11), where the user can select applications such as travel, service, and/or phone application that accessible and executed via a menu,

the active message gateway (SERV GTW) exchanges short text messages between one or more active messaging clients (e.g., MS) in a private mode without being directly connected to a short message service center (see col. 5, lines 46-53; Fig. 2), where the system is able to send individual (or private) a message to a receiving terminal. As a note, Alanara teaches of selectively forwarding the short text messages according to whether they include an active message script (see col. 14, lines 26-38; Figs. 1-3 and 8), where the system can forward messages according to the application for special services. Alanara does not specifically disclose having the feature an active message gateway selectively forwarding the short text messages according to whether they include an active message script. However, the examiner maintains that the feature an active message gateway selectively forwarding the short text messages according to whether they include an active message script, as taught by Zhang.

In the same field of endeavor, Zhang discloses the feature a short message service gateway (120) which reads on the claimed “active message gateway” selectively forwarding the short text messages according to whether they include an active message script (e.g., service code request) (see col. 3, lines 18-41; Fig. 1). As a note, Zhang at the least further discloses the features an active message gateway (120) in communication with the short text messaging service to receive short text messages from the digital cellular telephone (151) (see col. 3, lines 18-41; col. 5, lines 33-44; Figs. 1 and 4 “ref. 405 and 408”) and the active message gateway (120) exchanges short text messages between one or more active messaging clients (e.g., 141-142) in a private mode without being directly connected to a short message service center (see col. 5, lines 14-24), where the daemon (127) can receive or send short messages to mobile telephone (e.g., 141-142) and the users log in to establish private communication (see col. 3, lines 33-35).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara and Zhang to have the feature an active message gateway selectively forwarding the short text messages according to whether they include an active message script, in order to provide a system and method of providing information service by making use of short messages, as taught by Zhang (see col. 1, lines 51-55).

Regarding **claim 3**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 1), in addition Alanara further discloses the system of claim 1 in which each short text message includes a header and the short text messages that have an active message script include an indication of the active message script in the header

(see col. 3, lines 23-26,35-39; col. 6, lines 29-60; col. 19, line 46 - col. 20, line 25; Figs. 4A-5).

Regarding **claim 4**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 1), in addition Alanara further discloses the system of claim 1 in which the active messaging client includes an active message interpreter to which the active messaging loader directs short text messages that include an active message script, the active message interpreter providing interpretation and execution of the active message script (see col. 10, lines 26-32; col. 13, lines 4-9, col. 14, lines 13-25; Figs. 8-11), where the active messaging loader would be inherent as evidenced by the fact that one of ordinary skill in the art would clearly recognize.

Regarding **claim 5**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 1), in addition Alanara further discloses the system of claim 1 in which the active messaging client includes an active message file manager to which the active messaging loader directs short text messages that include an active message script, the active message file manager providing storage of the active message script in a file system included on the digital cellular telephone (1) (see col. 3, lines 23-26; col. 6, lines 29-53; col. 7, lines 53-56; col. 10, lines 26-35; col. 11, line 64 - col. 12, line 9; col. 14, lines 13-25; Figs. 3, 8, and 9), where the application (17, 18) includes scripts of command sequences according to the menu operation in which the active message file manager would be inherent for storing in the memory (14) as evidenced by the fact that one of ordinary skill in the art would clearly recognize. The processor (8) manages the control and files of the terminal.

Regarding **claim 6**, the combination of Alanara and Zhang discloses every limitation

claimed, as applied above, (see claim 1), in addition Alanara further discloses the system of claim 1 in which the active messaging client includes an active message interpreter that receives the active message script and provides interpretation and execution of the active message script (17, 18) (see col. 14, lines 13-25).

Regarding **claim 7**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 1), in addition Alanara further discloses the system of claim 1 in which the active messaging client includes an active message file manager that receives the active message script and provides storage of the active message script in a file system included on the digital cellular telephone (1) (see col. 21, lines 9-27; col. 22, lines col. 3, lines 23-26; col. 6, lines 29-53; col. 7, lines 53-56; col. 10, lines 26-35; col. 11, line 64 - col. 12, line 9; col. 14, lines 13-25; Figs. 3, 8, and 9), where the application (17, 18) includes scripts of command sequences according to the menu operation in which the active message file manager would be inherent for storing in the memory (14) as evidenced by the fact that one of ordinary skill in the art would clearly recognize. The processor (8) manages the control and files of the terminal.

Regarding **claim 8**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 1), in addition Alanara further discloses the system of claim 1 further comprising one or more application servers (e.g., Internet, content service providers) in communication with the active message gateway (SERV GTW), each of the one or more application servers providing an active message application or service in response to a request directed from the digital cellular telephone (1) (see col. 14, lines 26-38; Figs. 1-2 and 8-11).

Regarding **claim 9**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 1), in addition Alanara further discloses the system of claim 8 in which the active message gateway (SERV GTW) includes an active messaging connector service that provides communication between the short text messaging service and one or more active message service interfaces to the one or more application servers (see col. 5, lines 35-44; col. 10, lines 1-10,19-25; col. 14, lines 26-38; col. 15, lines 1-11; Figs. 2 and 8-11), where the terminal is provided the special service information from the specific provider of the services.

Regarding **claim 30**, Alanara discloses in a mobile telephone short text messaging system, an active message gateway method for short text messages that include an active message script (Figs. 1-2, 8, and 10-11), comprising:

receiving at an active message gateway short text messages transmitted from a mobile telephone (1) (see col. 5, lines 34-51; Figs. 2 and 8);

interpreting the active message script in the short text messages that include it and transmitting any corresponding response (see col. 10, lines 1-10,19-25; col. 14, line 13-38; Figs. 10-11);

generating at least one of an active message or an application based in part on the active message script (see col. 10, lines 26-32; col. 13, lines 4-9; col. 14, lines 13-25; col. 21, lines 9-27; Figs. 1, 3, 8-11), where the system provides an application for generating messages and creating scripts for the menu application in which the scripts are interpreted to execute the command sequences of the script;

transmitting one or more short text messages containing active message scripts to the mobile telephone (1) wherein the active message scripts install applications onto the mobile telephone (1) (see col. 10, lines 33-38,60-62), where additional applications and services can be provided over the air;

accessing the installed applications from a phone menu (see col. 10, lines 1-4, 12-16, 19-21, 26-33; col. 10, line 42 - col. 11, line 12; Figs. 7 and 10-11); and

executing the installed application at least one of in part or completely on the mobile telephone (1) (see col. 10, lines 1-4, 12-16, 19-21, 26-33; col. 10, line 42 - col. 11, line 12; Figs. 7 and 10-11), where the user can select applications such as travel, service, and/or phone application that accessible and executed via a menu. As a note, Alanara further teaches of the features distinguishing among the short text messages ones that include an active message script from ones that do not include an active message script, the short text messages that do not include an active message script including destination addresses corresponding to short text messaging destinations (see col. 4, lines 46-52; col. 5, lines 11-21; col. 14, lines 26-38; Figs. 1 and 8); forwarding the short text messages that do not include an active message script to the short text messaging destinations corresponding to the destination addresses (see col. 4, lines 46-52; col. 5, lines 11-21; Fig. 1). Alanara does not specifically disclose having the features distinguishing among the short text messages ones that include an active message script from ones that do not include an active message script, the short text messages that do not include an active message script including destination addresses corresponding to short text messaging destinations; forwarding the short text messages that do not include an active message script to the short text messaging destinations

corresponding to the destination addresses. However, the examiner maintains that the features distinguishing among the short text messages ones that include an active message script from ones that do not include an active message script, the short text messages that do not include an active message script including destination addresses corresponding to short text messaging destinations; forwarding the short text messages that do not include an active message script to the short text messaging destinations corresponding to the destination addresses was well known in the art, as taught by Zhang.

Zhang further discloses the features distinguishing among the short text messages ones that include an active message script (e.g., service code request) from ones that do not include an active message script (e.g., service code request), the short text messages that do not include an active message script including destination addresses corresponding to short text messaging destinations (see col. 3, lines 18-41; col. 5, lines 33-44; Figs. 1 and 4 “ref. 405 and 408”);

forwarding the short text messages that do not include an active message script (e.g., service code request) to the short text messaging destinations corresponding to the destination addresses (see col. 3, lines 18-41; col. 5, lines 33-44; Figs. 1 and 4 “ref. 405 and 408”).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara and Zhang to have the features distinguishing among the short text messages ones that include an active message script from ones that do not include an active message script, the short text messages that do not include an active message script including destination addresses corresponding to short text

messaging destinations; forwarding the short text messages that do not include an active message script to the short text messaging destinations corresponding to the destination addresses, in order to provide a system and method of providing information service by making use of short messages, as taught by Zhang (see col. 1, lines 51-55).

Regarding **claim 31**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 30), in addition Alanara further discloses the method of claim 30 further comprising authenticating that the mobile telephone (1) is associated with the active message gateway prior to interpreting the active message script (see col. 9, lines 1-12; col. 13, line 40 - col. 14, line 26). As a note, Zhang further discloses the limitations of the claim (see Figs. 1-6).

Regarding **claim 32**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 30), in addition Alanara further discloses the method of claim 30 further comprising:

determining whether the active message script is to be executed locally by the active message gateway (SERV GTW) or remotely by an application server (e.g., Internet; content service provider) that is in computer network communication with the active message gateway (SERV GTW) (see col. 14, lines 13-38; Figs. 2, 8, 10-11); and

executing the active message script at the active message gateway (SERV GTW) or the remote application server (e.g., Internet; content service provider) according to the determination (see col. 14, lines 13-38; Figs. 2, 8, and 10-11). As a note, Zhang further discloses the limitations of the claim (see Figs. 1-6).

Regarding **claim 33**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 32), in addition Alanara further discloses the method of claim 32 wherein the active message script is executed at the remote application server (e.g., Internet; content service provider), the method further comprising re-formatting the active message script at the active message gateway before transmitting the active message script to the remote application server for execution (see col. 17, lines 7-45,63-67; Fig. 7), where the SMS messages are re-formatted for HTML code communication with an internet server for requesting of information via the mobile terminal. As a note, Zhang further discloses the limitations of the claim (see Figs. 1-6).

Regarding **claim 35**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 30), in addition Alanara further discloses the method of claim 30 further comprising:

determining whether the active message script is to be executed locally by the active message gateway (SERV GTW) or remotely by another mobile telephone (MS2) (see col. 6, lines 29-34; col. 14, lines 13-38; Figs. 1 and 8); and

executing the active message script at the active message gateway (SERV) or at the other mobile telephone (MS2) according to the determination (see col. 6, lines 29-34; col. 14, lines 13-38; Figs. 1 and 8-11). As a note, Zhang further discloses the limitations of the claim (see Figs. 1-6).

Regarding **claim 36**, Alanara discloses in a computer readable medium of a mobile telephone short text messaging system, the computer readable medium includes an active

message gateway software for short text messages that include an active message script (see Figs. 1-2 and 8), comprising:

software for receiving at an active message gateway short text messages transmitted from a mobile telephone (1) (see col. 5, lines 34-51; Figs. 2 and 8);

software for interpreting the active message script in the short text messages that include it and transmitting any corresponding response (see col. 10, lines 1-10,19-25; col. 14, line 13-38; Figs. 10-11);

software (e.g., application menus) for creating at least one of an active message or an application based in part on the active message script (see col. 10, lines 26-32; col. 13, lines 4-9; col. 14, lines 13-25; col. 21, lines 9-27; Figs. 1, 3, 8-11), where the system provides an application for generating messages and creating scripts for the menu application in which the scripts are interpreted to execute the command sequences of the script;

software for transmitting at an active message gateway short text messages containing active message scripts to a mobile telephone (1), the active message scripts installs applications on the mobile telephone (1) (see col. 10, lines 33-38,60-62), where additional applications and services can be provided over the air;

software for accessing the installed applications from a phone menu (see col. 10, lines 1-4, 12-16, 19-21, 26-33; col. 10, line 42 - col. 11, line 12; Figs. 7 and 10-11); and

software for executing the installed application at least one of in part or completely on the mobile telephone (1) (see col. 10, lines 1-4, 12-16, 19-21, 26-33; col. 10, line 42 - col. 11, line 12; Figs. 7 and 10-11), where the user can select applications such as travel, service, and/or phone application that accessible and executed via a menu. As a note, Alanara further

teaches of the features software for distinguishing among the short text messages ones that include an active message script from ones that do not include an active message script, the short text messages that do not include an active message script including destination addresses corresponding to short text messaging destinations (see col. 4, lines 46-52; col. 5, lines 11-21; col. 14, lines 26-38; Figs. 1 and 8); software for forwarding the short text messages that do not include an active message script to the short text messaging destinations corresponding to the destination addresses (see col. 4, lines 46-52; col. 5, lines 11-21; Fig. 1). Alanara does not specifically disclose having the features software for distinguishing among the short text messages ones that include an active message script from ones that do not include an active message script, the short text messages that do not include an active message script including destination addresses corresponding to short text messaging destinations; software for forwarding the short text messages that do not include an active message script to the short text messaging destinations corresponding to the destination addresses. However, the examiner maintains that the features software for distinguishing among the short text messages ones that include an active message script from ones that do not include an active message script, the short text messages that do not include an active message script including destination addresses corresponding to short text messaging destinations; software for forwarding the short text messages that do not include an active message script to the short text messaging destinations corresponding to the destination addresses was well known in the art, as taught by Zhang.

Zhang further discloses the features software for distinguishing among the short text messages ones that include an active message script from ones that do not include an active

message script, the short text messages that do not include an active message script including destination addresses corresponding to short text messaging destinations (see col. 3, lines 18-41; col. 5, lines 33-44; Figs. 1 and 4 “ref. 405 and 408”);

software for forwarding the short text messages that do not include an active message script to the short text messaging destinations corresponding to the destination addresses (see col. 3, lines 18-41; col. 5, lines 33-44; Figs. 1 and 4 “ref. 405 and 408”).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara and Zhang to have the features software for distinguishing among the short text messages ones that include an active message script from ones that do not include an active message script, the short text messages that do not include an active message script including destination addresses corresponding to short text messaging destinations; software for forwarding the short text messages that do not include an active message script to the short text messaging destinations corresponding to the destination addresses, in order to provide a system and method of providing information service by making use of short messages, as taught by Zhang (see col. 1, lines 51-55).

Regarding **claim 37**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the medium of claim 36 further comprising software for authenticating that the mobile telephone (1) is associated with the active message gateway (SERV) prior to interpreting the active message script (see col. 9, lines 1-12; col. 13, line 40 - col. 14, line 26). As a note, Zhang further discloses the limitations of the claim (see Figs. 1-6).

Regarding **claim 38**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the medium of claim 36 further comprising:

software for determining whether the active message script is to be executed locally by the active message gateway (SERV GTW) or remotely by an application server (e.g., Internet; content service provider) that is in computer network communication with the active message gateway (SERV GTW) (see col. 14, lines 13-38; Figs. 2, 8, and 10-11); and

software for executing the active message script at the active message gateway or the remote application server (e.g., Internet; content service provider) according to the determination (see col. 14, lines 13-38; Figs. 2, 8, and 10-11). As a note, Zhang further discloses the limitations of the claim (see Figs. 1-6).

Regarding **claim 39**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 38), in addition Alanara further discloses the medium of claim 38 wherein the active message script is executed at the remote application server, the method further comprising software for re-formatting the active message script at the active message gateway before transmitting the active message script to the remote application server (e.g., Internet; content service provider) for execution (see col. 17, lines 7-45, 63-67; Fig. 7), where the SMS messages are re-formatted for HTML code communication with an internet server for requesting of information via the mobile terminal.

Regarding **claim 41**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the medium of claim 36 further comprising:

software for determining whether the active message script is to be executed locally by the active message gateway (SERV) or remotely by another mobile telephone (MS2) (see col. 6, lines 29-34; col. 14, lines 13-38; Figs. 1 and 8); and

software for executing the active message script at the active message gateway (SERV) or at the other mobile telephone (MS2) according to the determination (see col. 6, lines 29-34; col. 14, lines 13-38; Figs. 1 and 8-11).

Regarding **claim 42**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the medium of claim 36 further comprising a GetServiceList active message command data structure that returns to the mobile telephone (1) a list of services available through the active message gateway (SERV) (see col. 10, lines 31-38; col. 10, line 48 - col. 11, line 12; col. 11, lines 38-42).

Regarding **claim 43**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the medium of claim 36 further comprising a GetService active message command data structure that provides a request for a particular service via the active message gateway (SERV) (see col. 10, lines 1-10; Figs. 8 and 10-11).

Regarding **claim 44**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the medium of claim 36 further comprising an InstallService active message command data structure that functions to obtain active message script for a service and install the active message script on the mobile telephone (1) (see col. 10, lines 31-38; col. 10, line 48 - col. 11, line 12).

Regarding **claim 45**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the medium of claim 36 further comprising a GetUserList active message command data structure that returns a list of users available through the active message gateway (see col. 7, lines 7-52; Fig. 6).

Regarding **claim 46**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the medium of claim 36 further comprising a GetUser active message command data structure that returns information about or establishes a connection with a user available through the active message gateway (SERV) (see col. 10, lines 19-25).

Regarding **claim 49**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the medium of claim 36 further comprising a SendActiveMessage active message command data structure that sends a short text message that includes active message script (see col. 6, lines 29-45), where the user of the terminal is able to send and receive messages.

Regarding **claim 50**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the medium of claim 36 further comprising a SendMessage active message command data structure that sends a short text message that does not include active message script (see col. 5, lines 10-16; Fig. 1), where the user of the terminal is able to send and receive messages.

**Claims 15 and 27** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Alanara et al.** (hereinafter Alanara) (US 6,292,668 B1) in view of **Comer** (US 5,610,973).

Regarding **claim 15**, Alanara discloses the medium of claim 10 in which the active message script includes text strings, wherein all text strings are prefixed with their byte-size (see col. 12, lines 62-64; col. 13, line 9; col. 14, line 13-25; col. 6, lines 12-41; Figs. 4A-5), where the scripts are text strings of command sequences in which the fields of the frames have particular bit/byte size. Alanara fails to disclose having the features of the script including jumps; all jumps are made to specific byte locations within the script. However, the examiner maintains that the features of the script including jumps; all jumps are made to specific byte locations within the script was well known in the art, as taught by Comer.

In the same field of endeavor, Comer discloses the features of the script including jumps; all jumps are made to specific byte locations within the script (see col. 22, lines 42-47; col. 24, lines 57-60; col. 24, line 24 - col. 25, line 2; Fig. 7 "200").

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara and Comer to have the features of the script including jumps; all jumps are made to specific byte locations within the script, in order to provide scripts with jump commands to labels, as taught by Comer.

Regarding **claim 27**, Alanara discloses every limitation claimed as applied above in claim 17. Alanara discloses does not specifically disclose having the feature further including a goto instruction associated with the instruction field for directing execution of the active message script to jump to a specified byte location in the script, and a byte address flag associated with the address field for identifying the byte location for the script to jump to.

However, the examiner maintains that the feature further including a goto instruction associated with the instruction field for directing execution of the active message script to jump to a specified byte location in the script, and a byte address flag associated with the address field for identifying the byte location for the script to jump to was well known in the art, as taught by Comer.

Comer further discloses the feature further including a goto instruction associated with the instruction field for directing execution of the active message script to jump to a specified byte location in the script, and a byte address flag associated with the address field for identifying the byte location for the script to jump to (see col. 22, lines 42-47; col. 24, lines 57-60; col. 24, line 24 - col. 25, line 2; Fig. 7 "200").

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara and Comer to have the feature further including a goto instruction associated with the instruction field for directing execution of the active message script to jump to a specified byte location in the script, and a byte address flag associated with the address field for identifying the byte location for the script to jump to, in order to provide scripts with jump commands to labels, as taught by Comer.

**Claims 18-21 and 23** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Alanara et al.** (hereinafter Alanara) (**US 6,292,668 B1**) in view of **Chen et al.** (hereinafter Chen) (**US 2003/0054810 A1**).

Regarding **claim 18**, Alanara as applied to claim 17 discloses a including a print instruction associated with the instruction field for printing a text string (command sequence), destination flags associated with the flag field specifying whether the text string is to be printed to from a memory buffer (14) (see col. 11, line 64 - col. 12, line 20; col. 12, lines 62-64; col. 16, lines 1-12; Figs. 7 and 10-11). Alanara fails to disclose having the feature a text string associated with the data field and representing the text string to be printed. However, the examiner maintains that the feature a text string associated with the data field and representing the text string to be printed was well known in the art, as taught by Chen.

In the same field of endeavor, Chen discloses the feature a text string associated with the data field and representing the text string to be printed (see Figs. 12, 15), where a text string is displayed.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara and Chen to have the feature a text string associated with the data field and representing the text string to be printed, in order to display a text string, as taught by Chen.

Regarding **claim 19**, Alanara as applied to claim 17 discloses an input instruction associated with the instruction field for printing a text string and requesting input from a user, content identification flags associated with the flag field optionally specifying the text string

Art Unit: 2617

is to be printed (see col. 2, lines 65-67; col. 11, line 64 - col. 12, line 20; col. 12, lines 62-64; Figs. 7 and 10-11). Alanara does not specifically disclose having the feature a text string associated with the data field and optionally representing the text string to be printed.

However, the examiner maintains that the feature a text string associated with the data field and optionally representing the text string to be printed was well known in the art, as taught by Chen.

Chen further discloses the feature a text string associated with the data field and optionally representing the text string to be printed (see Figs. 12, 15), where a text string is displayed.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara and Chen to have the feature a text string associated with the data field and optionally representing the text string to be printed, in order to display a text string, as taught by Chen.

Regarding **claim 20**, Alanara as applied to claim 17 discloses further including a select instruction associated with the instruction field for printing a plurality of text strings, destination flags associated with the flag field specifying a location to which a user selection is to be returned (see col. 11, line 64 - col. 12, line 20; col. 12, lines 62-64; col. 16, lines 1-12; Figs. 7 and 10-11). Alanara does not specifically disclose having the feature of plural text strings associated with the data field and representing the plural text string to be printed. However, the examiner maintains that the feature of plural text strings associated with the data field and representing the plural text string to be printed was well known in the art, as taught by Chen.

Chen further discloses the feature of plural text strings associated with the data field and representing the plural text string to be printed (see Figs. 12, 15), where a text string is displayed.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara and Chen to have the feature plural text strings associated with the data field and representing the plural text string to be printed, in order to display a text string, as taught by Chen.

Regarding **claim 21**, Alanara as applied to claim 17 discloses further including a condition instruction associated with the instruction field for comparing a pair of condition strings and jumping to a specified address when the pair of condition strings satisfies a predefined condition, flags associated with the flag field optionally specifying one of the condition strings and optionally specifying the predefined condition (see col. 2, lines 65-67; col. 11, line 64 - col. 12, line 20; col. 12, lines 62-64; Figs. 7 and 10-11), where the user is able to selecting between time comparisons conditions in which the jumping to the returned information slot would be obvious. Alanara does not specifically disclose having the feature a text string associated with the data field and optionally representing one of the condition strings. However, the examiner maintains that the feature a text string associated with the data field and optionally representing one of the condition strings was well known in the art, as taught by Chen.

Chen further discloses the feature a text string associated with the data field and optionally representing one of the condition strings (see Figs. 12, 15), where a text string is displayed.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara and Chen to have the feature a text string associated with the data field and optionally representing one of the condition strings, in order to display a text string, as taught by Chen.

Regarding **claim 23**, Alanara as applied to claim 17 discloses further including a call instruction associated with the instruction field for initiating a telephone call, destination flags associated with the flag field optionally specifying a telephone number for the telephone call (see col. 11, lines 36-38,58-61; col. 7, lines 34-41; col. 7, line 57 - col. 8, line 14). Alanara does not specifically disclose having the feature a text string associated with the data field and optionally specifying a telephone number for the telephone call. However, the examiner maintains that the feature a text string associated with the data field and optionally specifying a telephone number for the telephone call was well known in the art, as taught by Chen.

Chen further discloses the feature a text string associated with the data field and optionally specifying a telephone number for the telephone call (see Figs. 12, 15), where a text string is displayed.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara and Chen to have the feature a text string associated with the data field and optionally specifying a telephone number for the telephone call, in order to display a text string, as taught by Chen.

**Claims 34, 40, and 47** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Alanara et al.** (hereinafter Alanara) (**US 6,292,668 B1**) in view of **Zhang et al.** (hereinafter Zhang) (**US 7,082,312 B2**) as applied to claims 30 and 36 above, and further in view of **Chen et al.** (hereinafter Chen) (**US 2003/0054810 A1**).

Regarding **claim 34**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 30), in addition Alanara further discloses the active message script is re-formatted (see col. 19, lines 24-31), where the formatting of SMS to a markup language such as HTML is done when communicating with the internet. Alanara does not specifically disclose having the feature of re-formatted into an XML file format. However, the examiner maintains that the feature of re-formatted into an XML file format was well known in the art, as taught by Chen.

Chen further discloses the feature of re-formatted into an XML file format (see pg. 3, [0045]; pg. 4, [0062]; pg. 10, [0136]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara, Zhang, and Chen to have the feature of re-formatted into an XML file format, in order to allow communications with various protocols and to retrieve information from XML files or databases, as taught by Chen.

Regarding **claim 40**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the active message script is re-formatted (see col. 19, lines 24-31), where the formatting of SMS to a markup language such as HTML is done when communicating with the internet. Alanara

does not specifically disclose having the feature of re-formatted into an XML file format. However, the examiner maintains that the feature of re-formatted into an XML file format was well known in the art, as taught by Chen.

Chen further discloses the feature of re-formatted into an XML file format (see pg. 3, [0045]; pg. 4, [0062]; pg. 10, [0136]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara, Zhang, and Chen to have the feature of re-formatted into an XML file format, in order to allow communications with various protocols and to retrieve information from XML files or databases, as taught by Chen.

Regarding **claim 47**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the feature a designated user to a list of selected users maintained in association with the mobile telephone (1) (see col. 7, lines 7-52; Figs. 3, 6). Chen does not specifically disclose having the feature an AddUser active message command data structure that adds. However, the examiner maintains that the feature an AddUser active message command data structure that adds was well known in the art, as taught by Chen.

Chen further discloses the feature an AddUser active message command data structure that adds (see Fig. 10A), where the figure displays "Add Buddy".

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Alanara, Zhang, and Chen to have the

Art Unit: 2617

feature an AddUser active message command data structure that adds, in order add a buddy, as taught by Chen.

**Claim 48** is rejected under 35 U.S.C. 103(a) as being unpatentable over **Alanara et al.** (hereinafter Alanara) (US 6,292,668 B1) in view of **Zhang et al.** (hereinafter Zhang) (US 7,082,312 B2) as applied to claims 36 above, and further in view of well known prior art (MPEP 2144.03).

Regarding **claim 48**, the combination of Alanara and Zhang discloses every limitation claimed, as applied above, (see claim 36), in addition Alanara further discloses the feature of a user from a list of selected users maintained in association with the mobile telephone (1) (see col. 7, lines 7-52; Figs. 3, 6). The combination of Alanara and Zhang does not specifically disclose the feature of a DeleteUser active message command data structure that deletes a user. However, the examiner takes official notice of the fact that it was well known in the art to have the feature of a DeleteUser active message command data structure that deletes a user.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the combination of Alanara and Zhang by specifically providing the feature of a DeleteUser active message command data structure that deletes a user, for the purpose of deleting a user from a list.

***Response to Arguments***

10. Applicant's comments with respect to claims 1 and 3-50 have been considered but are moot in view of the new ground(s) of rejection necessitated by the amended language and/or new limitations.

In response to applicant's comments, the Examiner respectfully disagrees as the applied reference(s) provide more than adequate support and to further clarify (see the above claims for relevant citations and comments in this section).

11. Regarding claim 48, the applicant did not traverse the Examiner's assertion of official notice stated in the action(s) mailed 01 November 2006 and 09 August 2007. As a result, the Examiner's statement is hereby taken to be well-known admitted prior art or common knowledge because the applicant failed to traverse the Examiner's assertion of official notice. Therefore, the applicant must agree with the Examiner's assertion of official notice.

In response to amendment filed on 18 December 2007 which lacks traversal, the assertion of official notice is hereby maintained.

***Conclusion***

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Willie J. Daniel, Jr. whose telephone number is (571) 272-7907. The examiner can normally be reached on 8:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Appiah can be reached on (571) 272-7904. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/WJD,JR/

WJD,JR  
26 December 2007

*yeon Geli 12/26/07*